

Whipping Cream

1. Whipping Cream Recipe

Ingredient	%
Hydrogenated palm kernel oil (HPKO)	24.0
Sugar	12.5
SMP (Skim Milk Powder)	7.0
RIPLEX WT-45	2.3
Water	54.2
Total	100

2. Process

1. Add RIPLEX WT-45 to water at 40°C under agitation.
2. Add Premix (sugar + SMP) to (1) at 50°C under agitation.
3. Dissolve HPKO and add to (2) at 60°C under agitation.
4. Heat up to 75°C until it is well-dissolved.
5. Homogenization 125 bars at 75°C.
6. Pasteurize at 80°C for 5 minutes.
7. Rapidly cool down the temperature to 5°C.
8. Age for 24 hours.

DISCLAIMER: The information contained in this document is to the best of our knowledge accurate and reliable. Since we cannot control the actual use of our product, we make no warranty, expressed or implied, the applicability of this information or the suitability of our products in any individual situation. The users by themselves must determine applicability of the information and material to comply with the relevant legislation. We will not accept any liability on infringement of any patents by reason of purchaser's use of any product described in this document. We reserve the right to make additions, deletions or modifications to the information without prior notification.



RIKEN VITAMIN CO., LTD.
2-9-18 Misaki-cho, Chiyoda-ku, Tokyo, Japan
Tel : +81-3-5275-5124 Fax : +81-3-3237-1087
Web : <http://www.rikenvitamin.jp/int/>



RIKEVITA(SINGAPORE) PTE. LTD.
#02-01, 41 Science Park Road, The Gemini, Singapore Science Park II, Singapore 117610 / Tel : +65-6298-3505 Fax : +65-6298-3932
Email : tech@rikevita.com.sg